



Rot beam

#1



#2




= 10100

1 + 2

~~Combine to affect~~

#1 affects HP of Tube 3 }
 #2 " VP " " " }



Resultant by coord scheme
 give sequence of $n(n+1)$ keying
 characters. Letters go to
 Tube 4, affecting HP, in this
 tube 4 plain text letters affect
 VP. Result: ⁵⁰⁰Cipher text
 250060

QWERTYUIOPASDFGHJKLZXCVBNM
 - - - - -
 QWERTYUIOPASDFGHJKLZXCVBNM
 - - - - -
 QWERTYUIOPASDFGHJKLZXCVBNM
 - - - - -
 QWERTYUIOPASDFGHJKLZXCVBNM
 - - - - -

10 + 15



501 510
 501 510
 501 510
 25050 2550
 25100 26000

509
 510
 5090
 2545 25990

CHVP
MZN

①②③④⑤⑥⑦⑧

A	P	U	J	F	M	S	O	Z
B	K	E	G	N	T	P	A	
C	T	H	O	L	R	B		
D	I	P	V	R	C			
E	Q	W	S	U				
F	X	F						
G	L	E						
H								





6000 0

0110

8000

0110

	A	B	C	D	E
A	P	F			
B	K	P			
C	F	L	P		
D		L	P	P	
E				L	P



	0	1	2	3	4	5	6	7	8	9	10	11
5752 = 600 JR 4AW 7-0	0	1	2	3	4	5	6	7	8	9	10	11
67-0												
47-1												
57-2												
67-3												
77-4												
87-5												

no volts